

## ERECTILE DYSFUNCTION CURED

### ERECTILE DYSFUNCTION IS A REALITY.

The former occurs when there is interference in the sexual intercourse and reproduction due to absence of sexual desire and the eminent problem of ejaculation or orgasm; while the latter is a complete or continuing failure to reach an erection or to sustain an erection even for a few seconds.

### THE STATISTICS ABOUT ED.

The National of Health statistics revealed that from 15 to 30 million men in the United States have erectile disorder. If the muscular contraction ceases the blood flow by opening the passage, erection is reversed. There is no specific age bracket that can not suffer from erectile dysfunction.

THESE FACTORS ARE RELATED TO ED

Who loves a fat guy? Being overweight has so many unpleasant effects; you will not only look grotesque but will have many physical disorders as well. These drugs may have side effects that disturb the normal sexual activity of the patient. Perennial drug abusers. Continuous bicycling. When you are biking, there is a constant pressure from the bicycle seat which compresses the nerves and blood flow to the penis.

ERECTILE DYSFUNCTION AND OTHER DISEASES.

The relationship of Parkinson Disease and Erectile dysfunction is more likely an imposed nervous system. One-third of men with Parkinson Disease may have experienced impotency in obtaining an erection. Around 60 to 80 percent of men

using alphostadil, papaverine hydrochloride or phentolamine mesylate, has achieved success of an erect penis.

## PSYCHOLOGICAL CAUSES.

In various studies made on erectile dysfunction, it was discovered that childhood abuse and trauma of sexual and other strong emotional experience are psychological factors for the dysfunction in adulthood. Depression is both physical and psychological and these depressants used as drugs may magnify the problem. He begins to feel moody, irritable and impatient.

## TREATMENT AND CURES

Topiglan is in the form of a cream which is applied to the penis and is similar to an aphrodisiac. Cialis causes muscular and back pains. Avanaphil is known as

phosphodiesterase is an inhibitor. Hormonal Therapy. New drugs are:

Uprima (apomorphin) Uprima (apomorphin) is a tablet that dissolves in the tongue. The success of the treatment is greatly affected by the relationship between the patient and his partner. The Asian ginseng has long been used by the Orientals to recover the sexual desires of the male. As they are administered orally, patients find them easy to use. When the muscles are relaxed, blood flows smoothly and can bring about erection. Viagra's effects vary depending upon the reason the patient is taking the drug.

She may even suspect that her husband is having an affair with another woman. Self hypnosis eliminates the worry and anxiety cause by diminishing sexual ability. Success

of vascular reconstructive surgery in young men could go as high as 50 to 75 percent. This founded on the fact that the urethra (tube in penis used as passage for urine and semen) can absorb certain medicines for the surrounding tissues and causes creating erection. Ginkgo biloba increases arterial blood flow and circulation. A man diagnosed with erection dysfunction would have to stop smoking and drinking alcohol, exercise regularly, reduce stress by relaxing and develop a positive attitude. Sex therapy is more likely to be successful with the positive support of the partner. Prelox is a newly discovered nutritional supplement that enhances penile function and enhances sexual pleasure. Melanocortin activators are drugs acting through the central nervous system;

Melanocortin is an erector and can be used through the nose (Intranasally). There might also be temporary loss of hearing after taking Cialis, but after a while it will disappear. Self injections does not always give a positive respond, only about 70 of users. Natural remedies and Supplements.

[Source](#) by [Paula Orozco](#)